

**Work Order ID 55588**

January 22, 2010 10:31:48 AM

Page 1

Item ID: D350-604-041

Accept

Setup Start

Revision ID:

Stop

Item Name: Rear Locker Extender

Start Date: 1/22/10 Start Qty: 1.00

Required Date: 1/29/10 Req'd Qty: 1.00

Cust Item ID:

Customer:

Reference:

Run Start

Approvals:

Process Plan: *HL*Date: *10-1-22* Tooling:

Date:

QC:

Date: SPC (Y/N):

Date:

Stop

Sequence ID/  
Work Center IDOperation  
DescriptionSet Up/  
Run HoursDraw  
NumberDraw  
Rev.Plan  
CodeAccept  
QtyReject  
QtyReject  
NumberInsp.  
Stamp

Draw Nbr

Revision Nbr

100

0.00



DOCUMENT CONTROL

DC

Memo

0.00

Document Control

Photocopy bluefile and create labels per PPP D350-604-041 CHG002

*S 10/02/03**MF 10/02/03*

110

0.00



PURCHASING

Purchasing

Memo

0.00

Purchasing

Issue P/O: *11203*

Description: D350-604-041 Rear locker extender.

Supplier: Delastek.

Certification of Conformity and process sheet from Delastek is required.

4 x 2600-6 Camlock stud - Ship to Delastek *11/13/95**10-1-22*

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: \_\_\_\_\_ PAR #: \_\_\_\_\_ Fault Category: \_\_\_\_\_ NCR: Yes No DQA: \_\_\_\_\_ Date: \_\_\_\_\_

Resolution: \_\_\_\_\_ Disposition: \_\_\_\_\_ QA: N/C Closed: \_\_\_\_\_ Date: \_\_\_\_\_

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

**NOTE:** Date & initial all entries

**Work Order ID 55588**

January 22, 2010 10:31:48 AM

Page 2

Item ID: D350-604-041

Accept

Setup Start

Revision ID:

Stop

Item Name: Rear Locker Extender

Start Date: 1/22/10 Start Qty: 1.00

Cust Item ID:

Required Date: 1/29/10 Req'd Qty: 1.00

Customer:

Reference:

Run Start

Approvals: Process Plan: \_\_\_\_\_ Date: \_\_\_\_\_ Tooling: \_\_\_\_\_ Date: \_\_\_\_\_

Stop

QC: \_\_\_\_\_ Date: \_\_\_\_\_ SPC (Y/N): \_\_\_\_\_ Date: \_\_\_\_\_

Sequence ID/  
Work Center IDOperation  
DescriptionSet Up/  
Run HoursDraw  
NumberDraw  
Rev.Plan  
CodeAccept  
QtyReject  
QtyReject  
NumberInsp.  
Stamp

120

Receive & Inspect for Damage & Mat'l Certs  
Packaging

0.00

Packaging

Memo

0.00

Packaging

Ensure a copy of Certification of Conformity and process sheet from Delastek is attached.

130

QC5- Inspect part completeness to step on W/O

0.00

QC

Memo

0.00

Quality Control

Check hole locations to template. DT 8824 Check process sheet and audit.

140

Pick Kit

0.00

Packaging

Memo

0.00

Packaging

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: \_\_\_\_\_ PAR #: \_\_\_\_\_ Fault Category: \_\_\_\_\_ NCR: Yes No DQA: \_\_\_\_\_ Date: \_\_\_\_\_

Resolution: \_\_\_\_\_ Disposition: \_\_\_\_\_ QA: N/C Closed: \_\_\_\_\_ Date: \_\_\_\_\_

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

**NOTE:** Date & initial all entries

**Work Order ID 55588**

January 22, 2010 10:31:48 AM

Page 3

Item ID: D350-604-041

Accept

Setup Start

Revision ID:

Stop

Item Name: Rear Locker Extender

Start Date: 1/22/10 Start Qty: 1.00

Cust Item ID:

Required Date: 1/29/10 Req'd Qty: 1.00

Customer:

Reference:

Run Start

Approvals: Process Plan: \_\_\_\_\_ Date: \_\_\_\_\_ Tooling: \_\_\_\_\_ Date: \_\_\_\_\_

Stop

QC: \_\_\_\_\_ Date: \_\_\_\_\_ SPC (Y/N): \_\_\_\_\_ Date: \_\_\_\_\_

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Draw Number	Draw Rev.	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
--------------------------------	--------------------------	----------------------	----------------	--------------	--------------	---------------	---------------	------------------	----------------

150

QC4- 100% Inspect kits for completeness

0.00

S 10/02/03



QC

Memo

0.00

ⓧ

Quality Control

160

Packaging

0.00



Packaging

Memo

0.00

Packaging

Identify and pack for shipping as per PPP D350-604-  
041 □ Location: \_\_\_\_\_ □ PPP Rev: \_\_\_\_\_

P 10/02/03 ⓧ

170

QC21- Final Inspection - Work Order Release

0.00



QC

Memo

0.00

Quality Control

10/02/03  
MF  
10-02-03

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: \_\_\_\_\_ PAR #: \_\_\_\_\_ Fault Category: \_\_\_\_\_ NCR: Yes No DQA: \_\_\_\_\_ Date: \_\_\_\_\_

Resolution: \_\_\_\_\_ Disposition: \_\_\_\_\_ QA: N/C Closed: \_\_\_\_\_ Date: \_\_\_\_\_

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

**NOTE:** Date & initial all entries

# Picklist Print

January 22, 2010 10:31:48 AM

Page 1  
2

Work Order ID: 55588



Parent Item: D350-604-041



Parent Item Name: Rear Locker Extender

Start Date: 1/22/10

Required Date: 1/29/10

Comments: IPP Rev:Q03.12.01 ReformatKJ/RF

Start Qty: 1.00

Required Qty: 1.00

Component Item ID/ Item Name	Replacement Item ID	Mfg/ Purch	Bin Item	Primary Location	Last Location	Route Seq ID	Unit of Measure	Qty on Hand	Remaining Qty To Pick	Qty Issued	Date Issued	Status
2600-6  Camlock Stud		Purchased	No			100	Each	28.0000	4.0000			

✓ m113785 R14/27 C

Warehouse	Loc Qty	Loc Code
Location		
Main Warehouse		
ST	28	
109158	3	
112919	1	
113482	24	

D2269

Manufactured No

120

Each

13.0000

1.0000



Decal

Warehouse	Loc Qty	Loc Code
Location		
Main Warehouse		
ST	3	
52916	3	
Main Warehouse		
ST10	10	
55327	10	

55327

D350-604-041P

Purchased

No

140

Each

0.0000

1.0000



Rear Locker Extender

55588 R14/27

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: \_\_\_\_\_ PAR #: \_\_\_\_\_ Fault Category: \_\_\_\_\_ NCR: Yes No DQA: \_\_\_\_\_ Date: \_\_\_\_\_

Resolution: \_\_\_\_\_ Disposition: \_\_\_\_\_ QA: N/C Closed: \_\_\_\_\_ Date: \_\_\_\_\_

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

**NOTE:** Date & initial all entries



# Picklist Print

Page 2

January 22, 2010 10:31:48 AM

Work Order ID: 55588



Parent Item: D350-604-041



Parent Item Name: Rear Locker Extender



Start Date: 1/22/10

Required Date: 1/29/10

Comments: IPP Rev:Q03.12.01 Reformat KJ/RF

Start Qty: 1.00

Required Qty: 1.00

Component Item ID/ Item Name	Replacement Item ID	Mfg/ Purch	Bin Item	Primary Location	Last Location	Route Seq ID	Unit of Measure	Qty on Hand	Remaining Qty To Pick	Qty Issued	Date Issued	Status
D2268 8  Decal		Manufactured	No			150	Each	21.0000	1.0000 	✓		<i>Pick 1/3</i> ①

<u>Warehouse</u>	<u>Loc Qty</u>	<u>Loc Code</u>
<u>Location</u>		
Main Warehouse		
ST010	21	
53484	11	
55453	10	

53484

January 22, 2010 10:31:48 AM

Shop Packet Print

Page 2

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: \_\_\_\_\_ PAR #: \_\_\_\_\_ Fault Category: \_\_\_\_\_ NCR: Yes No DQA: \_\_\_\_\_ Date: \_\_\_\_\_

Resolution: \_\_\_\_\_ Disposition: \_\_\_\_\_ QA: N/C Closed: \_\_\_\_\_ Date: \_\_\_\_\_


NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

**NOTE:** Date & initial all entries




DESIGN	JB	DRAWN BY	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA
CHECKED	<i>[Signature]</i>	APPROVED	DRAWING NO. D2273 REV. D SHEET 1 OF 1
DATE	02.04.01	TITLE	350 REAR LOCKER EXTENDER SCALE NTS
B	96.05.27	RE-DRAWN	
C	02.01.30	CLARIFY MATERIAL, LAYUP, AND TOOLING	
D	02.04.01	REMOVE EPOCAST, ADD SURFACE FINISH	

RELEASED  
02.04.03



**NOTES:**

- 1) LAMINATE PER DART QSI 006. LAMINATION SCHEDULE PER THIS DRAWING.
- 2) LAYUP USING DT8010 MOLD. WET LAYUP NO BAG/VACUUM.
- 3) TRIM & DRILL PER DT8020. OPEN HOLES TO  $\phi 0.257$  (4 PLACES).
- 4) MATERIALS:  
RESIN: DERAKANE 470-36/411/510A40  
FIBRE: 9oz = 9.7 oz 7781 WEAVE "S" GLASS  
18oz = 18.0 oz ROVING "E" GLASS.
- 5) CONSTRUCTION:  
101-WHITE GLOSS GELCOAT # GEL 944W005.  
102-9oz ALL OVER.  
103-18oz ALL OVER.  
104-18oz RE-INFORCE FRONT FLANGE EXTENDING 2" ON SIDES.  
105-9oz ALL OVER.  
106-PEEL PLY.
- 6) MATTE TO HOLD DOWN CORNERS AS REQUIRED.
- 7) FINISH THIS SURFACE WITH DUPONT HIGHBUILD GREY PRIMER 1144-S.
- 8) ALL DIMENSIONS ARE IN INCHES.



SECTION A-A

Copyright © 1996 by DART AEROSPACE LTD

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: \_\_\_\_\_ PAR #: \_\_\_\_\_ Fault Category: \_\_\_\_\_ NCR: Yes No DQA: \_\_\_\_\_ Date: \_\_\_\_\_

Resolution: \_\_\_\_\_ Disposition: \_\_\_\_\_ QA: N/C Closed: \_\_\_\_\_ Date: \_\_\_\_\_

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

**NOTE:** Date & initial all entries



DELASTEK COMPOSITES INC.  
2699, 5ième Avenue  
Local 14, PORTE -A-  
Grand-Mère, Québec G9T 5K7  
Can \*\*Fax (819) 533-3494 \*\*

# PACKING SLIP CERTIFICATE OF COMPLIANCE

Invoice #	13305
Customer #	DART

Telephone: (819) 533-5788  
Warehouse: MAIN

Bill to:

Dart Aerospace Ltd.  
1270, Aberdeen Street  
Hawkesbury, Ontario K6A 1K7  
Canada

Ship to:

Dart Aerospace Ltd.  
1270, Aberdeen Street  
Hawkesbury, Ontario K6A 1K7  
Canada

Telephone: 613-632-5200  
Contact: Linda Lacelle

Ship via		F.O.B.		Terms		Salesperson	
PURO COLLECT		Origin		Net30 days		Claude Lessard, ext. 233	
Ship date	Order Date	Our PO #	Order by		Your PO #	GST/PST #	
02/02/2010	22/01/2010	6097	Chantal Lavoie		PO11203		
Order Qty	B.O. Qty	Current Ship.	Item #	Item Description			
1	0	1	<u>DKC134-0003</u>	LINE #1 Rear Locker Extender D350-604-041P B55588 U de M : Each Référence DKA362-0004 DWG: D350-604-041 REV. A1 D2273 REV. D Job: 43990  S 6/6/2013			

It is hereby certified that all materials, process and finished items were controlled and tested in accordance with the requirements of the purchase order and applicable specifications. All such records are on file at our plant and available for review upon request.

☒ Cust. ☐ Adm. ☐ Quality ☐ Ship.

Accepted by:

Quality department AQ-357



Date: Mercredi, 2010-01-13 08:52:20  
 Utilisateur: Louis Jodoin

## Feuille de Procédé

Client :	DART Dart Aerospace Ltd.	Nom Dessin :	REAR LOCKER EXTENDER
Numéro Job :	43990	Numéro Article :	DKC134-0003
Numéro Soumission :	1708	Numéro Dessin :	D350-604-041 & D2273
Numéro B.A. :		Projet Numéro :	DKC134
Cette fois :	2010-01-13	Révision dessin :	A & D
Prsht Rev. :	NC	Matériel :	Résine Derakane 470-36/411/510
Prem. fois :	--	Date Dûe :	2010-01-20
Job précédente :	43981	Qté :	1 Udm: UNITE
Écrit par :			
Vérifié & Approuvé par :			
Commentaires :	N° de pièce Laminée Dart Aerospace: D2273 N° de pièce Assemblée Dart Aerospace: D350-604-041 N° de pièce Delastek Aeronautique: DKA362-0004 N° de pièce Delastek Composites: DKC134-0003		

 Process Sheet Rév.: 12 Modification des séquence pour y inclure  
 les N° d'instruction de fabrication.

## Produit additionnel

Numéro Job:



# Séq.:	Machine ou Opération:	Description :
---------	-----------------------	---------------

1.0	AC0303	Frekote 44NC
-----	--------	--------------

Commentair Qty.:	0.017 UNITE(s)/Unit	Total :	0.017 UNITE(s)
Frekote 44NC			

2.0	PRÉPARATION 3	PRÉPARATION DU MATÉRIEL DART
-----	---------------	------------------------------



Commentair	Setup: 0.00Hrs/ Run: 15.0000Min	Total Run : 0.2500Hrs
PRÉPARATION DU MOULE		

Nettoyer le moule à l'aide d'un chiffon humide et sécher à l'air. Selon I.F. # DKC134-0003-5.

Note: Afin que le frekote agisse pleinement, le moule doit être libre de toute contamination, enlever tout contaminants à l'aide de Frekote PMC, PMC Plus ou tout autre solvant efficace. Il est permis d'utiliser un abrasif (Doux) afin d'enlever toute accumulation de résine sur le moule.

Appliquer 2 couches de Frekote 44-NC à l'aide du chiffon propre en laissant sécher pendant 15 minutes entre les couches. Le séchage de la dernière couche doit être de 3 heures à température de la pièce avant d'appliquer le Gel Coat.

Quantité: \_\_\_\_\_ Date: \_\_\_\_\_ Sceau: \_\_\_\_\_

Quantité: \_\_\_\_\_ Date: \_\_\_\_\_ Sceau: \_\_\_\_\_

Quantité: \_\_\_\_\_ Date: \_\_\_\_\_ Sceau: \_\_\_\_\_

Quantité: \_\_\_\_\_ Date: \_\_\_\_\_ Sceau: \_\_\_\_\_

Date: Mercredi, 2010-01-13 08:52:20

Utilisateur: Louis Jodoin

## Feuille de Procédé

Cliant: DART Dart Aerospace Ltd.

Nom Dessin: REAR LOCKER EXTENDER

Numéro Job: 43990

Numéro Article: DKC134-0003

Numéro Job:



# Séq.: Machine ou Opération: Description :

Quantité: \_\_\_\_\_ Date: \_\_\_\_\_ Sceau: \_\_\_\_\_

Quantité: \_\_\_\_\_ Date: \_\_\_\_\_ Sceau: \_\_\_\_\_

Quantité: \_\_\_\_\_ Date: \_\_\_\_\_ Sceau: \_\_\_\_\_

8.0 AAC0324 Résine (411B7530) 411-350 promo. 75min.

Commentair Qty.: 1.680 KILOGRAMME(s)/Unit Total : 1.680 KILOGRAMME(s)  
Résine (411B7530) 411-350 promo. 75min. N° de Lot: 1-26380-1

9.0 AAC0275 Catalyst N° DDM-9

Commentair Qty.: 0.0063 PINTE(s)/Unit Total : 0.0063 PINTE(s)  
Catalyst N° DDM-9

N° de Lot: 1-22176-1

10.0 AAC0326 9.7 oz Weave "S" glass #FG-778150-125Y Volan Finish

Commentair Qty.: 4.6 VERGE(s)/Unit Total : 4.6 VERGE(s)  
9.7 oz 7781 Weave "S" glass #FG-778150-125Y N° de Lot: 1-26083-1

11.0 AAC0277 Fiberglass 18oz Type "E" N° WR1850

Commentair Qty.: 1.14 UNITE(s)/Unit Total : 1.14 UNITE(s)  
Fiberglass 18oz Type "E" N° WR1850 N° de Lot: 1-22302-1

12.0 PRÉPARATION 3 PRÉPARATION DU MATÉRIEL DART



Commentair Setup: 0.00Hrs/ Run: 45.0000Min Total Run : 0.7500Hrs  
PRÉPARATION DU MATÉRIEL

Tailler le matériel selon les dimensions requises à l'aide de gabarit de trimage prévus à cet effet.

Autocontrôle de fabrication. ( Selon gabarits )

Quantité: 1 Date: 21 Jan 10 Sceau:

Quantité: \_\_\_\_\_ Date: \_\_\_\_\_ Sceau: \_\_\_\_\_

Quantité: \_\_\_\_\_ Date: \_\_\_\_\_ Sceau: \_\_\_\_\_

Quantité: \_\_\_\_\_ Date: \_\_\_\_\_ Sceau: \_\_\_\_\_

13.0 LAMINAGE. LAMINAGE PIÈCE DART



Commentair Setup: 0.00Hrs/ Run: 3.5000Hrs Total Run : 3.5000Hrs  
FAIRE LE LAMINAGE DES TISSUS

Selon I.F. 134-0003

Date: Mercredi, 2010-01-13 08:52:20  
Utilisateur: Louis Jodoin

## Feuille de Procédé

Client: DART Dart Aerospace Ltd.  
Numéro Job: 43990

Nom Dessin: REAR LOCKER EXTENDER  
Numéro Article: DKC134-0003

Numéro Job:



# Séq.: Machine ou Opération: Description :

S'assurer de ne pas trapper d'air entre les rangs



Inscrire les informations suivantes:

Humidité: 22% ; \_\_\_\_\_ ; \_\_\_\_\_ ; \_\_\_\_\_

Température: 70.3°F ; \_\_\_\_\_ ; \_\_\_\_\_ ; \_\_\_\_\_

Heure: \_\_\_\_\_ ; \_\_\_\_\_ ; \_\_\_\_\_ ; \_\_\_\_\_

Date: 28/01/10 ; \_\_\_\_\_ ; \_\_\_\_\_ ; \_\_\_\_\_

Quantité: 1 Date: 28/01/10 Sceau:  

Quantité: \_\_\_\_\_ Date: \_\_\_\_\_ Sceau: \_\_\_\_\_

Quantité: \_\_\_\_\_ Date: \_\_\_\_\_ Sceau: \_\_\_\_\_

Quantité: \_\_\_\_\_ Date: \_\_\_\_\_ Sceau: \_\_\_\_\_

14.0

AAC0324

Résine (411B7530) 411-350 promo. 75min.

Commentair Qty.: 0.150 KILOGRAMME(s)/Unit Total : 0.150 KILOGRAMME(s)  
Résine (411B7530) 411-350 promo. 75min.

N° de Lot: 1-26380-1

15.0

AAC0275

Catalyst N° DDM-9

Commentair Qty.: 0.0063 PINTE(s)/Unit Total : 0.0063 PINTE(s)  
Catalyst N° DDM-9

N° de Lot: 1-22176-1

16.0

FINITION 3

FINITION PIÈCE DART



Commentair Setup: 0.00Hrs/ Run: 0.0000Min Total Run : 0.0000Hrs  
FINITION PIÈCE DART

Injecter les bulles d'air selon I.F.# DKC134-0003-5.

Quantité: \_\_\_\_\_ Date: \_\_\_\_\_ Sceau: \_\_\_\_\_

Quantité: \_\_\_\_\_ Date: \_\_\_\_\_ Sceau: \_\_\_\_\_

Quantité: \_\_\_\_\_ Date: \_\_\_\_\_ Sceau: \_\_\_\_\_

Quantité: \_\_\_\_\_ Date: \_\_\_\_\_ Sceau: \_\_\_\_\_



## Feuille de Procédé

Client: DART Dart Aerospace Ltd.

Nom Dessin: REAR LOCKER EXTENDER

Numéro Job: 43990

Numéro Article: DKC134-0003

Numéro Job:



# Séq.:

Machine ou Opération:

Description :

17.0

DÉMOULAGE 1

DÉMOULAGE PIÈCE DART



Commentair Setup: 0.00Hrs/ Run: 10.0000Min Total Run : 0.1667Hrs

DÉMOULAGE DES PIECES

Selon I.F.# DKC134-0003-5.

Faire le démoulage de la pièce en poussant de l'air à l'intérieur tout en faisant bien attention de ne pas l'endommager .

Autocontrôle de fabrication.( Visuel )

Quantité: 1 Date: 29 JAN 10 Sceau: 

Quantité: \_\_\_\_\_ Date: \_\_\_\_\_ Sceau: \_\_\_\_\_

Quantité: \_\_\_\_\_ Date: \_\_\_\_\_ Sceau: \_\_\_\_\_

Quantité: \_\_\_\_\_ Date: \_\_\_\_\_ Sceau: \_\_\_\_\_

18.0

TRIMAGE 3

TRIMAGE COMPOSITES DART



Commentair Setup: 0.00Hrs/ Run: 40.0000Min Total Run : 0.6667Hrs

TRIMAGE DE FINITION

Selon I.F.134-0002

Autocontrôle de fabrication.( Visuel et dimensionel selon le dessin )

Quantité: 1 Date: 29 JAN 10 Sceau: 

Quantité: \_\_\_\_\_ Date: \_\_\_\_\_ Sceau: \_\_\_\_\_

Quantité: \_\_\_\_\_ Date: \_\_\_\_\_ Sceau: \_\_\_\_\_

Quantité: \_\_\_\_\_ Date: \_\_\_\_\_ Sceau: \_\_\_\_\_

19.0

AAC0683

Dupont Primer N° 7704S

Commentair Qty.: 0.3330 UNITE(s)/Unit Total : 0.3330 UNITE(s)

Dupont Primer N° 7704S

N° de Lot: 1-25612-2

## Feuille de Procédé

Client: DART Dart Aerospace Ltd.

Nom Dessin: REAR LOCKER EXTENDER

Numéro Job: 43990

Numéro Article: DKC134-0003

Numéro Job:



# Séq.: Machine ou Opération: Description :

20.0 AAC0685 Dupont Activator - Reducer Chromabase N° 7775S

Commentaire Qty.: 0.0667 UNITE(s)/Unit Total : 0.0667 UNITE(s)

Dupont Activator - Reducer Chromabase N° 7775S

2-24803-3

21.0 PRIMER APPLICATION DE PRIMER



Commentaire Setup: 0.00Hrs/ Run: 0.0000Hrs Total Run : 0.0000Hrs

APPLICATION DE PRIMER

Appliquer le primer selon I.G. 0008

Quantité: 1 Date: 29/01/10 Sceau:

Quantité: \_\_\_\_\_ Date: \_\_\_\_\_ Sceau: \_\_\_\_\_

Quantité: \_\_\_\_\_ Date: \_\_\_\_\_ Sceau: \_\_\_\_\_

Quantité: \_\_\_\_\_ Date: \_\_\_\_\_ Sceau: \_\_\_\_\_

22.0 AAC0280 Camlock Stud 2600-4 (or Monadnock 1126000-4)

Commentaire Qty.: 4 UNITE(s)/Unit Total : 4 UNITE(s)

Camlock Stud 2600-4 (or Monadnock 1126000-4)

N° de Lot: 1-26143-1

23.0 AAC0103 Washer 2600-LW (1127700)

Commentaire Qty.: 4.0 UNITE(s)/Unit Total : 4.0 UNITE(s)

Washer 2600-LW (1127700)

N° de Lot: 1-6687-1

24.0 ASSEMBLAGE 3 ASSEMBLAGE GÉNÉRALE DART



Commentaire Setup: 0.00Hrs/ Run: 15.0000Min Total Run : 0.2500Hrs

ASSEMBLAGE GÉNÉRALE DES PIÈCES

Selon I.F. 134-0004

Démasquer la pièce.

Assembler les quatre (4) Camlock Stud N° 2600-4 à l'aide des Lock Washer N° 2600-LW. Selon l'instruction de travail N° I.G.#Pose de stud.

Autocontrôle de l'assemblage ( Visuel )

Quantité: 1 Date: 9 fév 10 Sceau:

Quantité: \_\_\_\_\_ Date: \_\_\_\_\_ Sceau: \_\_\_\_\_

Quantité: \_\_\_\_\_ Date: \_\_\_\_\_ Sceau: \_\_\_\_\_

Quantité: \_\_\_\_\_ Date: \_\_\_\_\_ Sceau: \_\_\_\_\_

Date: Mercredi, 2010-01-13 08:52:20

Utilisateur: Louis Jodoin

## Feuille de Procédé

Client: DART Dart Aerospace Ltd.

Nom Dessin: REAR LOCKER EXTENDER

Numéro Job: 43990

Numéro Article: DKC134-0003

Numéro Job:



# Séq.:

Machine ou Opération:

Description :

25.0

IDENTIFICATION4

IDENTIFICATION PIÈCES DART



**Commentair** Setup: 0.00Hrs/ Run: 10.0000Min Total Run : 0.1667Hrs  
IDENTIFICATION DES PIECES

Selon I.F. 134-0005

Faire l'identification de la pièce: N° de pièce D350-604-041

N° de Work Order: # 43990

L'identification doit être vers l'extérieur.

Quantité: 1

Date: FEB 01 2010

Sceau:



Quantité: \_\_\_\_\_

Date: \_\_\_\_\_

Sceau: \_\_\_\_\_

Quantité: \_\_\_\_\_

Date: \_\_\_\_\_

Sceau: \_\_\_\_\_

Quantité: \_\_\_\_\_

Date: \_\_\_\_\_

Sceau: \_\_\_\_\_

26.0

INSPECTION 3

INSPECTION PIÈCE DART



**Commentair** Setup: 0.00Hrs/ Run: 10.0000Min Total Run : 0.1667Hrs  
INSPECTION GÉNÉRALE

Faire l'inspection dimensionnelle et visuelle de la pièce selon le dessin.

Quantité: 1

Date: 2-2-10

Sceau:



Initiales: J.S.

27.0

EMBALLAGE

EMBALLAGE ET ENTREPOSAGE



**Commentair** Setup: 0.00Hrs/ Run: 0.0000Min Total Run : 0.0000Hrs  
EMBALLAGE ET ENTREPOSAGE

Faire l'emballage de la pièce dans le contenant approprié.

Quantité: 1

Date: 2-2-2010

Sceau:



Quantité: \_\_\_\_\_

Date: \_\_\_\_\_

Sceau: \_\_\_\_\_

Quantité: \_\_\_\_\_

Date: \_\_\_\_\_

Sceau: \_\_\_\_\_

Quantité: \_\_\_\_\_

Date: \_\_\_\_\_

Sceau: \_\_\_\_\_